FILE 'HOME' ENTERED AT 09:02:24 ON 20 MAR 2008

=> file pnttext

COST IN U.S. DOLLARS SINCE FILE TOTAL ENTRY SESSION

0.21

0.21

FULL ESTIMATED COST

FILE 'EPFULL' ENTERED AT 09:02:43 ON 20 MAR 2008 COPYRIGHT (C) 2008 European Patent Office / FIZ Karlsruhe

FILE 'FRFULL' ENTERED AT 09:02:43 ON 20 MAR 2008

COPYRIGHT (C) 2008 Univentio

FILE 'GBFULL' ENTERED AT 09:02:43 ON 20 MAR 2008

COPYRIGHT (C) 2008 Univentio

FILE 'PATDPAFULL' ENTERED AT 09:02:43 ON 20 MAR 2008 COPYRIGHT (C) 2008 DPMA

FILE 'PCTFULL' ENTERED AT 09:02:43 ON 20 MAR 2008 COPYRIGHT (C) 2008 Univentio

FILE 'RDISCLOSURE' ENTERED AT 09:02:43 ON 20 MAR 2008 COPYRIGHT (C) 2008 Kenneth Mason Publications Ltd.

FILE 'USPATFULL' ENTERED AT 09:02:43 ON 20 MAR 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPATOLD' ENTERED AT 09:02:43 ON 20 MAR 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'USPAT2' ENTERED AT 09:02:43 ON 20 MAR 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

=> s polyarylene sulfide# or poly arylene sulfide# L1 4176 POLYARYLENE SULFIDE# OR POLY ARYLENE SULFIDE#

=> s 11 and dehydration step# and heat? 7 FILES SEARCHED...

120 L1 AND DEHYDRATION STEP# AND HEAT?

=> s 12 and organic amide solvent# and sulfur source L3 27 L2 AND ORGANIC AMIDE SOLVENT# AND SULFUR SOURCE

=> s 13 and distillation column

L4 5 L3 AND DISTILLATION COLUMN

=> s 14 and reflux?

L5 5 L4 AND REFLUX?

=> s 15 and cool?

L6 5 L5 AND COOL?

=> s 16 and water and hydrogen sulfide# L7 5 L6 AND WATER AND HYDROGEN SULFIDE#

=> s 17 and dihalo aromatic compound#

L8 4 L7 AND DIHALO AROMATIC COMPOUND#

```
=> d 18 1-4
      ANSWER 1 OF 4
                        EPFULL
                                COPYRIGHT 2008 EPO/FIZ KA on STN
L8
AN
       2003:138402
                   EPFULL
       DUPD 20040915 DUPW 200438
TIEN
       PROCESS FOR PRODUCING POLYARYLENE SULFIDE.
TIFR
       PROCEDE DE PRODUCTION DE SULFURE DE POLYARYLENE.
IN
       SATO, Hiroyuki, Kureha Chemical Ind. Co. Ltd., Nishiki Research Lab.,
       16, Ochiai, Nishiki-machi, Iwaki-shi, Fukushima 974-8686, JP;
       KAWASAKI, Tatsuya, Kureha Chemical Ind. Co. Ltd., Nishiki Research Lab.,
       16, Ochiai, Nishiki-machi, Iwaki-shi, Fukushima 974-8686, JP;
       NAKAZAWA, Yasushi, Kureha Chemical Ind. Co. Ltd., Nishiki Plant, 16,
       Ochiai, Nishiki-machi, Iwaki-shi, Fukushima 974-8686, JP
PA
       Kureha Chemical Industry Co., Ltd., (Chemical Industry Co., Ltd.,
       Kureha), 9-11, Nihonbashi Horidome-cho 1-chome, Chuo-ku, Tokyo 103-8552,
      JP
       4076310
PAN
DT
      Patent
LAF
       Japanese
LA
       English
LAP
       English
TL.
       English; French
PIT
       WOA1 International application published with search report
ΡI
                            A1 20040722
       WO 2004060974
DS
       AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT RO SE
       SI SK TR
       EXTENSION STATES: AL LT LV MK
       EP 2003-782838
                        A 20031219
ΑI
       WO 2003-JP16334
                            A 20031219
       JP 2002-382249
                            A 20021227
PRAI
IC.VER 7
ICM
      C08G075-04
AN
       2003:138402
                   EPFULL ED 20050928 UP 20070801
       DUPD 20070801 DUPW 200731
TIEN
       PROCESS FOR PRODUCING POLYARYLENE SULFIDE.
TIFR
       PROCEDE DE PRODUCTION DE SULFURE DE POLYARYLENE.
TIDE
      VERFAHREN ZUR HERSTELLUNG VON POLYARYLENSULFID.
IN
       SATO, Hirovuki, Kureha Chemical Ind. Co. Ltd., Nishiki Research Lab., 16,
       Ochiai, Nishiki-machi, Iwaki-shi, Fukushima 974-8686, JP;
       KAWASAKI, Tatsuya, Kureha Chemical Ind. Co. Ltd., 9-1, Nihonbashi
       Horidomecho 1-chome, Chuo-ku, Tokyo 103-8552, JP;
       NAKAZAWA, Yasushi, Kureha Chemical Ind. Co. Ltd., Nishiki Plant, 16,
       Ochiai, Nishiki-machi, Iwaki-shi, Fukushima 974-8686, JP
      Kureha Corporation, 3-3-2, Nihonbashi-Hamacho, Chuo-ku, Tokyo 103-8552,
PA
       JP
PAN
       7199200
AG
       Jones, Helen M.M., Gill Jennings & Every LLP Broadgate House 7 Eldon
       Street, London EC2M 7LH, GB
AGN
      57931
DT
      Patent
LAF
      Japanese
LA
      English
LAP.
      English
TI.
      German; English; French
PIT
      EPA1 Application published with search report
                           A1 20050928
PT
      EP 1580212
```

```
WO 2004060974
                               20040722
       AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT RO SE
       SI SK TR
       EP 2003-782838
                            A 20031219
AI
       WO 2003-JP16334
                            A 20031219
PRAI
       JP 2002-382249
                            A 20021227
IPCI
       C08G0075-04 [I,A]
       C08G0075-00 [I,C*]
L8
       ANSWER 2 OF 4
                         EPFULL
                                  COPYRIGHT 2008 EPO/FIZ KA on STN
AN
       1997:7402
                     EPFULL.
       DUPD 19970903 DUPW 199736
       Process for producing poly (arylene sulfide
TIEN
TIFR
       Procede de preparation de polyarylene sulphide.
TIDE
       Verfahren zur Herstellung von Polyarylensulfiden.
IN
       Miyahara, Michihisa, 6003 Caddy Circle, Wilmington, NC 28405, US;
       Sato, Hirovuki, 12-6 Kimigatsuka-machi, Onahama, Iwaki-shi,
       Fukushima-ken, JP;
       Satake, Yoshikatsu, 1-1-15 Nakaoka-machi, Iwaki-shi, Fukushima-ken, JP
PA
       KUREHA KAGAKU KOGYO KABUSHIKI KAISHA, 1-9-11, Nihonbashi, Horidome-cho,
       Chuo-ku Tokvo 103, JP
PAN
       Jones, Helen Marjorie Meredith, Gill Jennings & Every, Broadgate House,
AG
       7 Eldon Street, London EC2M 7LH, GB
AGN
       57931
       Patent
DT
LAF
       English
LA
       English
LAP
       English
TL
       German; English; French
PIT
       EPA2 Application published without search report
PΙ
      EP 792904
                            A2 19970903
       BE DE FR GB IT NL
DS
ΑI
       EP 1997-301049
                           A 19970219
PRAI
      JP 1996-58316
                            A 19960221
IC.VER 6
TCM
       C08G075-02
AN
       1997:7402
                    EPFULL
       DUPD 19980415 DUPW 199816
TIEN
       Process for producing poly (arylene sulfide
       Procede de preparation de polvarvlene sulphide.
TIFR
TIDE
       Verfahren zur Herstellung von Polyarylensulfiden.
       Miyahara, Michihisa, 6003 Caddy Circle, Wilmington, NC 28405, US;
IN
       Sato, Hiroyuki, 12-6 Kimigatsuka-machi, Onahama, Iwaki-shi,
       Fukushima-ken, JP;
       Satake, Yoshikatsu, 1-1-15 Nakaoka-machi, Iwaki-shi, Fukushima-ken, JP
       KUREHA KAGAKU KOGYO KABUSHIKI KAISHA, 1-9-11, Nihonbashi, Horidome-cho,
PA
       Chuo-ku Tokvo 103, JP
PAN
       269303
AG
       Jones, Helen Marjorie Meredith, Gill Jennings & Every, Broadgate House,
       7 Eldon Street, London EC2M 7LH, GB
AGN
       57931
DT
      Patent
LAF
      English
LA.
      English
```

```
LAP
      English
TL
      German; English; French
PIT
      EPA3 Separate publication of search report
PΙ
      EP 792904
                           A3 19980415
      BE DE FR GB IT NL
DS
AΙ
      EP 1997-301049
                          A 19970219
PRAI JP 1996-58316
                          A 19960221
IC.VER 6
ICM
      C08G075-02
ΑN
      1997:7402
                   EPFULL UP 20080215
       DUPD 20080213 DUPW 200807
TIEN
      Process for producing poly (arylene sulfide
      Procede de preparation de polyarylene sulphide.
TIFR
      Verfahren zur Herstellung von Polyarylensulfiden.
TIDE
IN
      Miyahara, Michihisa, 6003 Caddy Circle, Wilmington, NC 28405, US;
      Sato, Hiroyuki, 12-6 Kimigatsuka-machi, Onahama, Iwaki-shi,
       Fukushima-ken, JP;
       Satake, Yoshikatsu, 1-1-15 Nakaoka-machi, Iwaki-shi, Fukushima-ken, JP
       KUREHA KAGAKU KOGYO KABUSHIKI KAISHA, 1-9-11, Nihonbashi, Horidome-cho,
PA
      Chuo-ku, Tokvo 103-8552, JP
PAN
       269303
      Jones, Helen M.M., Gill Jennings & Every LLP Broadgate House 7 Eldon
AG
      Street, London EC2M 7LH, GB
AGN
      57931
DT
      Patent
LAF
      English
LA
      English
LAP
      English
TL
      German; English; French
PIT
      EPB1 Granted patent
PΙ
      EP 792904
                          B1 20030423
DS
      BE DE FR GB IT NL
AΙ
      EP 1997-301049
                        A 19970219
PRAI
     JP 1996-58316
                          A 19960221
REP
      EP 373364
                           Α
      JP 2160833
                          A
      US 3783138
IPCI
      C08G0075-02 [I.A]
      C08G0075-00 [I.C*1
    ANSWER 3 OF 4 USPATFULL on STN
L8
AN
       2006:105378 USPATFULL
ΤТ
       Process for producing polyarylene sulfide
       Sato, Hiroyuki, Fukushima, JAPAN
IN
      Kawasaki, Tatsuya, Tokyo, JAPAN
       Nakazawa, Yasushi, Fukushima, JAPAN
      US 2006089486
                         A1 20060427
                          A1 20031219 (10)
ΑI
      US 2003-540836
      WO 2003-JP16334
                              20031219
                              20050623 PCT 371 date
      JP 2002-382249
                          20021227
PRAI
DT
      Utility
FS
      APPLICATION
LN.CNT 1099
INCL INCLM: 528/381.000
NCL
      NCLM: 528/381.000
TC
      IPCI C08G0075-16 [I,A]; C08G0075-00 [I,A]
```

```
TPCR
             C08G0075-00 [I,C]; C08G0075-16 [I,A]; C08G0075-00 [I,A];
             C08G0075-02 [I,A]; C08G0075-04 [I,A]
CAS INDEXING IS AVAILABLE FOR THIS PATENT.
    ANSWER 4 OF 4 USPATFULL on STN
L8
AN
       1998:147543 USPATFULL
ΤI
       Process for producing poly(arvlene sulfide
      Miyahara, Michihisa, Wilmington, NC, United States
IN
       Sato, Hiroyuki, Fukushima-ken, Japan
       Satake, Yoshikatsu, Fukushima-ken, Japan
PA
      Kureha Kagaku Kogyo K.K., Tokyo, Japan (non-U.S. corporation)
ΡI
      US 5840830
                             19981124
ΑI
      US 1997-802343
                              19970211 (8)
PRAI JP 1996-58316
                         19960221
DT
      Utility
FS
      Granted
LN.CNT 1269
       INCLM: 528/388.000
INCL
NCL
      NCLM: 528/388.000
IC
      [6]
       ICM
             C08G075-14
            C08G0075-14 [ICM,6]; C08G0075-00 [ICM,6,C*]
       IPCI
            C08G0075-00 [I,C*]; C08G0075-02 [I,A]
       IPCR
EXF
       528/388
```

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=>